

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/4

## Mortar Plasticiser

Revision 4
Revision date 2019-12-18

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Mortar Plasticiser

#### 1.3. Details of the supplier of the safety data sheet

Company Larsen Building Products Ltd

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email t.moore@larsenbuildingproducts.com

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

**2.1.2. Classification - EC** Carc. 1B: H350; **1272/2008** 

#### 2.2. Label elements

## Hazard pictograms



Signal Word

Danger

**Hazard Statement** 

Carc. 1B: H350 - May cause cancer.

**Precautionary Statement:** 

P201 - Obtain special instructions before use.

Prevention

P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statement:** 

Response

P308+P313 - IF exposed or concerned: Get medical advice/attention.

**Precautionary Statement:** 

Storage

P405 - Store locked up.

**Precautionary Statement:** 

P501 - Dispose of contents/container to

Disposal

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Mortar Plasticiser

Revision 4
Revision date 2019-12-18

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium Alkyl Ethoxy Sulphate 27% Agueous Solution		68585-34-2	221-416-0			Skin Irrit. 2: H315; Eye Irrit. 2: H319:
Formaldehyde% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8			Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H331;
						Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317;

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.		
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.		
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.		

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

#### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

#### SECTION 8: Exposure controls/personal protection

#### 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### Mortar Plasticiser

Revision 4
Revision date 2019-12-18

8.2.2. Individual protection measures

Eye / face protection
Skin protection - Handprotection
Handprotection

B.2.2. Individual protection
Wear protective clothing.

Wear protective clothing.

In case of splashing, wear:. Approved safety goggles.

Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Brown

Odour Characteristic

pH 9.5

Freezing Point 0 °C

Solubility Soluble in water

#### 9.2. Other information

Specific gravity 1.01 g/cm³

#### SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

#### SECTION 11: Toxicological information

#### 11.1.4. Toxicological Information

No data available

#### SECTION 12: Ecological information

## 12.1. Toxicity

No data available

#### SECTION 13: Disposal considerations

#### General information

Dispose of in compliance with all local and national regulations.

#### SECTION 14: Transport information

#### 14.1. UN number

The product is not classified as dangerous for carriage.

#### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

#### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

#### 14.4. Packing group

The product is not classified as dangerous for carriage.

#### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## **Mortar Plasticiser**

Revision 4
Revision date 2019-12-18

		Revision date 2019-12
14.7. Transport in bulk accord	ng to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
Further information		
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory i	nformation	

SECTION 16: Other information				
Other information				
Text of Hazard Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation.			
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.			